our ref your ref date Rev: June 2015

29 June 2015



Oxley Developments Company Ltd

A subsidiary of Oxley Group Ltd

Priory Park Ulverston Cumbria LA12 9QG United Kingdom

t: +44 (0) 1229 582621 f: +44 (0) 1229 581851 w: www.oxleygroup.com

Dear Customer

Subject: REACH compliance statement for Oxley Developments Company Limited products

This document is Oxley Developments Company Limited's (here after referred to as ODCL) statement regarding EC Regulation 1907/2006, also known as REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals).

Under the REACH Regulations, ODCL is an "Article Supplier" that manufactures articles for supply into the EU. As a producer of "Articles" ODCL are affected by article 7 (with the referenced articles 57 and 59) and Article 33 of the REACH Regulation 1907/2006.

Article 7 "Registration and notification of substances in articles"

- 1. Any Producer or Importer of articles shall submit a registration to the Agency for any substance contained in those articles, if both of the following conditions are met:
 - a. the substance is present in those articles in quantities totalling over 1 tonne per producer or importer per year;
 - b. the substance is intended to be released under normal or reasonably foreseeable conditions of use.

ODCL Response: ODCL's complete range of products do not contain any substances that are "intended to be released" during normal or reasonable conditions of use.

- 2. Any Producer or Importer of articles shall notify the Agency if a substance meets the criteria of Article 57 and is identified in accordance with Article 59, if both of the following conditions are met:
 - a. the substance is present in those articles in quantities totalling over 1 tonne per producer or importer per year;

b. the substance is present in those articles above a concentration of 0.10% weight by weight.

ODCL's Response: ODCL's complete range of products does not contain any of the substances listed on the "Candidate List of Substances of Very High Concern" dated 29th June 2015. This applies to ODCL Products manufactured after January 1, 2000.

Article 33 "Duty to Communicate information on substances in Articles"

- 1. Any article supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.10% weight by weight shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of the substance.
- 2. On request by a consumer, any supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.10% weight by weight shall provide the consumer with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of the substance.

ODCL's Response: ODCL's complete range of products does not contain any of the substances listed on the "Candidate List of Substances of Very High Concern" dated 29th June 2015.

Candidate List of Substances of Very High Concern - dated 29th June 2015:

Substance Name	CAS Number	Inclusion Date
1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-	68515-51-5	15/06/2015
benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68648-93-1	15/06/2015
5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	-	15/06/2015
Bis (2-ethylhexyl)phthalate (DEHP)	117-87-7	17/12/2014; 28/10/2008
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	17/12/2014
2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	17/12/2014
2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	17/12/2014
Cadmium fluoride	7790-79-6	17/12/2014
reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	-	17/12/2014
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	16/06/2014
Sodium perborate; perboric acid, sodium salt	-	16/06/2014
Sodium peroxometaborate	7632-04-4	16/06/2014
Cadmium chloride	10808-64-2	16/06/2014
Cadmium sulphide	1306-23-6	16/12/2013



Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-	1937-37-6	16/12/2013
yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1001 01 0	10,12,2010
Dihexyl phthalate	84-75-3	16/12/2013
Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	16/12/2013
Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	16/12/2013
Lead di(acetate)	301-04-2	16/12/2013
Cadmium	7440-43-9	20/06/2013
Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	20/06/2013
Pentadecafluorooctanoic acid (PFOA)	335-67-1	20/06/2013
Dipentyl phthalate (DPP)	131-18-0	20/06/2013
4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]		20/06/2013
Cadmium oxide	1306-19-0	20/06/2013
Hexahydromethylphthalic anhydride [1], Hexahydro-4-methylphthalic	25550-51-0	19/12/2012
anhydride [2], Hexahydro-1-methylphthalic anhydride [3],	19438-60-9	19/12/2012
Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms)	48122-14-1	19/12/2012
and all possible combinations of the isomers [1] are covered by this entry]	57110-29-9	19/12/2012
6-methoxy-m-toluidine (p-cresidine)	120-71-8	19/12/2012
Cyclohexane-1,2-dicarboxylic anhydride [1], cis-cyclohexane-1,2-	85-42-7	19/12/2012
dicarboxylic anhydride [2], trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances	13149-00-3	19/12/2012
and all possible combinations of the cis- and trans-isomers [1] are covered by this entry]	14166-21-3	19/12/2012
Pyrochlore, antimony lead yellow	8012-00-8	19/12/2012
Henicosafluoroundecanoic acid	2058-94-8	19/12/2012
4-Aminoazobenzene	60-09-3	19/12/2012
Silicic acid, lead salt	11120-22-2	19/12/2012
Lead titanium zirconium oxide	12626-81-2	19/12/2012
Lead monoxide (lead oxide)	1317-36-8	19/12/2012
o-Toluidine	95-53-4	19/12/2012
3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	19/12/2012
Dibutyltin dichloride (DBTC)	683-18-1	19/12/2012
Lead bis(tetrafluoroborate)	13814-96-5	19/12/2012
Lead dinitrate	10099-74-8	19/12/2012
Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]	68784-75-8	19/12/2012
Trilead bis(carbonate)dihydroxide	1319-46-6	19/12/2012
4,4'-methylenedi-o-toluidine	838-88-0	19/12/2012



Diethyl sulphate	64-67-5	19/12/2012
Dimethyl sulphate	77-78-1	19/12/2012
N,N-dimethylformamide	68-12-2	19/12/2012
4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	-	19/12/2012
4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	19/12/2012
Furan	110-00-9	19/12/2012
Lead oxide sulfate	12036-76-9	19/12/2012
Lead titanium trioxide	12060-00-3	19/12/2012
Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	19/12/2012
Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	19/12/2012
1,2-Diethoxyethane	629-14-1	19/12/2012
N-methylacetamide	79-16-3	19/12/2012
Tetralead trioxide sulphate	12202-17-4	19/12/2012
Acetic acid, lead salt, basic	51404-69-4	19/12/2012
[Phthalato(2-)]dioxotrilead	69011-06-9	19/12/2012
Tetraethyllead	78-00-2	19/12/2012
N-pentyl-isopentylphthalate	776297-69-9	19/12/2012
Pentalead tetraoxide sulphate	12065-90-6	19/12/2012
Heptacosafluorotetradecanoic acid	376-06-7	19/12/2012
Tricosafluorododecanoic acid	307-55-1	19/12/2012
1-bromopropane (n-propyl bromide)	106-94-5	19/12/2012
Dioxobis(stearato)trilead	12578-12-0	19/12/2012
Pentacosafluorotridecanoic acid	72629-94-8	19/12/2012
Methoxyacetic acid	625-45-6	19/12/2012
Methyloxirane (Propylene oxide)	75-56-9	19/12/2012
Trilead dioxide phosphonate	12141-20-7	19/12/2012
o-aminoazotoluene	97-56-3	19/12/2012
4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	19/12/2012
Diisopentylphthalate	605-50-5	19/12/2012
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	19/12/2012
Biphenyl-4-ylamine	92-67-1	19/12/2012
Fatty acids, C16-18, lead salts	91031-62-8	19/12/2012
Orange lead (lead tetroxide)	1314-41-6	19/12/2012
4,4'-oxydianiline and its salts	101-80-4	19/12/2012
Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	19/12/2012
Sulfurous acid, lead salt, dibasic	62229-08-7	19/12/2012
Lead cyanamidate	20837-86-9	19/12/2012



(H.3.H.5.H)-trione (β-TGIC) N.N.N.N-tetramethyl-4,4-methylenedianiline (Michler's base) 101-61-1 18/06/2012 1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme) 112-49-2 18/06/2013 1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme) 112-49-2 18/06/2013 1,4-bis(dimethylamino)-4"-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] Lead(II) bis(methanesulfonate) 14-(4.4-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) 110-71-4 18/06/2013 18/06/2013 18/06/2014 18/06/2014 18/06/2015 1	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	6786-83-0	18/06/2012
N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) 101-61-1 18/06/2012 18/0		59653-74-6	18/06/2012
1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme) 112-49-2 18/06/201: Formamide 75-12-7 18/06/201: 4.4'-bis(dimethylamino)-4"-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]		101-61-1	18/06/2012
Formamide	Diboron trioxide	1303-86-2	18/06/2012
4.4'-bis(dimethylamino)-4"-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] Lead(II) bis(methanesulfonate) [4-[4.4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] [4-[4.4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] [4-[4-anilino-1-naphthyl]]4-(dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] 13,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC) 4,4'-bis(dimethylamino)benzophenone (Michler's ketone) Phenolphthalein 77-09-8 19/12/201 N,N-dimethylacetamide 127-19-5 19/12/201 4-(1,1,3,3-tetramethylbutyl)phenol Lead diazide, Lead azide 1342-46-9 19/12/201 Lead dipicrate 1,2-dichloroethane 107-06-2 19/12/201 Calcium arsenate 7778-44-1 19/12/201 Dichromium tris(chromate) 2-Methoxyaniline; o-Anisidine 90-04-0 Pentazinc chromate octahydroxide Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted/geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na20+K20+ca0+Mg0+Ba0) content less or equal to 18% by weight-t/). Arsenic acid	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	18/06/2012
Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] [4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) [4-[[4-anilino-1-naphthyl]]4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] 1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC) 4,4'-bis(dimethylamino)benzophenone (Michler's ketone) Phenolphthalein N,N-dimethylacetamide 4-(1,1,3,3-tetramethylbutyl)phenol Lead diazide, Lead azide 13424-46-9 197/12/201 1,2-dichloroethane 107-06-2 197/12/201 1,2-dichloroethane 107-06-2 199/12/201 24613-89-6 19/12/201 24613-89-6 19/12/201 24613-89-6 19/12/201 27roonia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight-t//s Arsenic acid	Formamide	75-12-7	18/06/2012
Lead(II) bis(methanesulfonate) 17570-76-2 18/06/2012 [4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] 548-62-9 18/06/2012 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) 110-71-4 18/06/2012 [4-[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] 1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC) 2451-62-9 18/06/2013 N,N-dimethylamino)benzophenone (Michler's ketone) 90-94-8 18/06/2013 N,N-dimethylacetamide 127-19-5 19/12/2013 N,N-dimethylacetamide 127-19-5 19/12/2013 Lead diazide, Lead azide 13424-46-9 19/12/2013 Lead dipicrate 6477-64-1 19/12/2013 1,2-dichloroethane 107-06-2 19/12/2013 Calcium arsenate 7778-44-1 19/12/2013 Zirconia Aluminosilicate Refractory Ceramic Fibres are fi	Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-	561-41-1	18/06/2012
ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2]) 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) 110-71-4 18/06/2012 [4-[[4-anilino-1-naphthyl][4- (dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] 1,3,5-Trisi(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC) 2451-62-9 18/06/2012 4,4'-bis(dimethylamino)benzophenone (Michler's ketone) Phenolphthalein 77-09-8 19/12/2011 N,N-dimethylacetamide 127-19-5 19/12/2011 4-(1,1,3,3-tetramethylbutyl)phenol 140-66-9 19112/2011 Lead diazide, Lead azide 1342-44-69 19112/2011 Lead dipicrate 107-06-2 191/12/2011 Calcium arsenate 107-06-2 191/12/2011 Dichromium tris(chromate) 2-Methoxyanilline; o-Anisidine Pentazinc chromate octahydroxide 2-Methoxyanilline; o-Anisidine Po-04-0 19/12/2011 2-Methoxyanilline; o-Anisidine Po-04-0 1		17570-76-2	18/06/2012
[4-[[4-anilino-1-naphthyl]][4- (dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] 1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC) 4,4'-bis(dimethylamino)benzophenone (Michler's ketone) 90-94-8 18/06/201: 4,4'-bis(dimethylamino)benzophenone (Michler's ketone) 90-94-8 19/12/201: N,N-dimethylacetamide 127-19-5 19/12/201 4-(1,1,3,3-tetramethylbutyl)phenol 140-66-9 19/12/201 Lead diazide, Lead azide 13424-46-9 19/12/201 Lead dipicrate 6477-64-1 19/12/201 1,2-dichloroethane 107-06-2 19/12/201 Calcium arsenate 7778-44-1 19/12/201 Dichromium tris(chromate) 2-Methoxyaniline; o-Anisidine Pentazinc chromate octahydroxide 2-Methoxyanilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight Arsenic acid 7778-39-4 19/12/201:	ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No.	548-62-9	18/06/2012
(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-959-2)] 1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC) 4,4'-bis(dimethylamino)benzophenone (Michler's ketone) Phenolphthalein N,N-dimethylacetamide 4-(1,1,3,3-tetramethylbutyl)phenol Lead diazide, Lead azide Lead dizide, Lead azide 13424-46-9 19/12/201 Lead dipicrate 6477-64-1 19/12/201 1,2-dichloroethane 7778-44-1 Dichromium tris(chromate) 2-Methoxyaniline; o-Anisidine Pentazinc chromate octahydroxide Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight Arsenic acid	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	18/06/2012
4,4'-bis(dimethylamino)benzophenone (Michler's ketone) Phenolphthalein 77-09-8 19/12/201 N,N-dimethylacetamide 127-19-5 19/12/201 4-(1,1,3,3-tetramethylbutyl)phenol Lead diazide, Lead azide Lead dipicrate 1,2-dichloroethane 107-06-2 19/12/201 Dichromium tris(chromate) 2-Methoxyaniline; o-Anisidine Pentazinc chromate octahydroxide Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures, and fulfil the three following conditions: a) obstances and mixtures,	(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	2580-56-5	18/06/2012
Phenolphthalein 77-09-8 19/12/201 N,N-dimethylacetamide 127-19-5 19/12/201 4-(1,1,3,3-tetramethylbutyl)phenol 140-66-9 19/12/201 Lead diazide, Lead azide 13424-46-9 19/12/201 Lead dipicrate 6477-64-1 19/12/201 1,2-dichloroethane 107-06-2 19/12/201 Calcium arsenate 7778-44-1 19/12/201 Dichromium tris(chromate) 24613-89-6 19/12/201 2-Methoxyaniline; o-Anisidine 90-04-0 19/12/201 Pentazinc chromate octahydroxide 49663-84-5 19/12/201 Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight 7778-39-4 19/12/201 Arsenic acid 7778-39-4 19/12/201		2451-62-9	18/06/2012
N,N-dimethylacetamide 4-(1,1,3,3-tetramethylbutyl)phenol Lead diazide, Lead azide 13424-46-9 19/12/201 Lead dipicrate 6477-64-1 19/12/201 1,2-dichloroethane 107-06-2 19/12/201 Calcium arsenate 7778-44-1 Dichromium tris(chromate) 2-Methoxyaniline; o-Anisidine Pentazinc chromate octahydroxide Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight Arsenic acid 19/12/201 19/12/201	4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	90-94-8	18/06/2012
4-(1,1,3,3-tetramethylbutyl)phenol140-66-919/12/201Lead diazide, Lead azide13424-46-919/12/201Lead dipicrate6477-64-119/12/2011,2-dichloroethane107-06-219/12/201Calcium arsenate7778-44-119/12/201Dichromium tris(chromate)24613-89-619/12/2012-Methoxyaniline; o-Anisidine90-04-019/12/201Pentazinc chromate octahydroxide49663-84-519/12/201Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (μm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight7778-39-419/12/201Arsenic acid7778-39-419/12/201	Phenolphthalein	77-09-8	19/12/2011
Lead diazide, Lead azide Lead dipicrate 6477-64-1 19/12/201 1,2-dichloroethane 107-06-2 19/12/201 Calcium arsenate 7778-44-1 Dichromium tris(chromate) 2-Methoxyaniline; o-Anisidine Pentazinc chromate octahydroxide Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight 7778-39-4 19/12/201 19/12/201 19/12/201 19/12/201 19/12/201 19/12/201 19/12/201 19/12/201 19/12/201 19/12/201	N,N-dimethylacetamide	127-19-5	19/12/2011
Lead dipicrate 6477-64-1 19/12/201 1,2-dichloroethane 107-06-2 19/12/201 Calcium arsenate 7778-44-1 19/12/201 Dichromium tris(chromate) 24613-89-6 19/12/201 2-Methoxyaniline; o-Anisidine 90-04-0 19/12/201 Pentazinc chromate octahydroxide 49663-84-5 19/12/201 Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (μm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	19/12/2011
1,2-dichloroethane 1,2-dichloroethane 1,2-dichloroethane 7,778-44-1 19/12/201 Dichromium tris(chromate) 2,4613-89-6 19/12/201 2-Methoxyaniline; ο-Anisidine 90-04-0 19/12/201 Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (μm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight 7778-39-4 19/12/201 19/12/201 19/12/201 19/12/201	Lead diazide, Lead azide	13424-46-9	19/12/2011
Calcium arsenate Dichromium tris(chromate) 2-Methoxyaniline; o-Anisidine Pentazinc chromate octahydroxide Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight Arsenic acid 7778-39-4 19/12/2015	Lead dipicrate	6477-64-1	19/12/2011
Dichromium tris(chromate) 2-Methoxyaniline; o-Anisidine Pentazinc chromate octahydroxide Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (μm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight 77778-39-4 19/12/2019	1,2-dichloroethane	107-06-2	19/12/2011
2-Methoxyaniline; o-Anisidine Pentazinc chromate octahydroxide Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (μm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight Arsenic acid 19/12/201 19/12/201 19/12/201	Calcium arsenate	7778-44-1	19/12/2011
Pentazinc chromate octahydroxide Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight Arsenic acid 19/12/201	Dichromium tris(chromate)	24613-89-6	19/12/2011
Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight Arsenic acid	2-Methoxyaniline; o-Anisidine	90-04-0	19/12/2011
covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight Arsenic acid 7778-39-4 19/12/201	Pentazinc chromate octahydroxide	49663-84-5	19/12/2011
Arsenic acid 7778-39-4 19/12/201	covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by	-	19/12/2011
		7778-39-4	19/12/2011
	Potassium hydroxyoctaoxodizincatedichromate	11103-86-9	19/12/2011



Formaldehyde, oligomeric reaction products with aniline	25214-70-4	19/12/2011
Lead styphnate	15245-44-0	19/12/2011
Bis(2-methoxyethyl) phthalate	117-82-8	19/12/2011
Trilead diarsenate	3687-31-8	19/12/2011
Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm) c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight	-	19/12/2011
Bis(2-methoxyethyl) ether	111-96-6	19/12/2011
2,2'-dichloro-4,4'-methylenedianiline	101-14-4	19/12/2011
Cobalt dichloride	7646-79-9	02/06/2011
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	20/06/2011
Strontium chromate	7789-06-2	20/06/2011
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	20/06/2011
1-Methyl-2-pyrrolidone	872-50-4	20/06/2011
1,2,3-Trichloropropane	96-18-4	20/06/2011
2-Ethoxyethyl acetate	111-15-9	20/06/2011
Hydrazine	302-01-2	20/06/2011
	7803-57-8	20/06/2011
Cobalt(II) diacetate	71-48-7	15/12/2010
2-Ethoxyethanol	110-80-5	15/12/2010
Cobalt(II) sulphate	10124-43-3	15/12/2010
Acids generated from chromium trioxide and their oligomers. Names	7738-94-5	15/12/2010
of the acids and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid.	13530-68-2	15/12/2010
2-Methoxyethanol	109-86-4	15/12/2010
Chromium trioxide	1333-82-0	15/12/2010
Cobalt(II) carbonate	513-79-1	15/12/2010
Cobalt(II) dinitrate	10141-05-6	15/12/2010
Trichloroethylene	79-01-6	18/06/2010
Potassium dichromate	7778-50-9	18/06/2010
Tetraboron disodium heptaoxide, hydrate	12267-73-1	18/06/2010
Boric acid	10043-35-3	18/06/2010
	11113-50-1	18/06/2010
Ammonium dichromate	7778-09-5	18/06/2010
Sodium chromate	7775-11-3	18/06/2010
Disodium tetraborate, anhydrous	1303-96-4	18/06/2010
, , ,	1330-43-4	18/06/2010



	12179-04-3	18/06/2010
Potassium chromate	7789-00-6	18/06/2010
Acrylamide	79-06-1	30/03/2010
Lead sulfochromate yellow (C.I. Pigment Yellow 34)	1344-37-2	13/01/2010
Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	12656-85-8	13/01/2010
2,4-Dinitrotoluene	121-14-2	13/01/2010
Anthracene oil	90640-80-5	13/01/2010
Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	13/01/2010
Anthracene oil, anthracene-low	90640-82-7	13/01/2010
Diisobutyl phthalate	84-69-5	13/01/2010
Tris(2-chloroethyl)phosphate	115-96-8	13/01/2010
Lead chromate	7758-97-6	13/01/2010
Anthracene oil, anthracene paste	90640-81-6	13/01/2010
Pitch, coal tar, high temp.	65996-93-2	13/01/2010
Anthracene oil, anthracene paste, distn. lights	91995-17-4	13/01/2010
Lead hydrogen arsenate	7784-40-9	28/10/2008
Benzyl butyl phthalate (BBP)	85-68-7	28/10/2008
Bis (2-ethylhexyl)phthalate (DEHP)	117-81-7	28/10/2008
Bis(tributyltin)oxide (TBTO)	56-35-9	28/10/2008
5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	28/10/2008
Diarsenic trioxide	1327-53-3	28/10/2008
Triethyl arsenate	15606-95-8	28/10/2008
Diarsenic pentaoxide	1303-28-2	28/10/2008
Sodium dichromate	7789-12-0	28/10/2008
	10588-01-9	28/10/2008
Dibutyl phthalate (DBP)	84-74-2	28/10/2008
4,4'- Diaminodiphenylmethane (MDA)	101-77-9	28/10/2008
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	28/10/2008
Anthracene	120-12-7	28/10/2008
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane	25637-99-4	28/10/2008
	3194-55-6	28/10/2008
	134237-50-6	28/10/2008
	134237-51-7	28/10/2008
	134237-52-8	28/10/2008

Summary Statement:

Oxley Developments Company Limited has taken reasonable steps to provide accurate information about SVHCs in materials that are provided to ODCL and used in ODCL products. ODCL relies on data supplied by, and statements made by suppliers of materials for this information.

Oxley Developments Company Limited Priory Park, Ulverston Cumbria, UK



